

BEST AVAILABLE COPY

BEST AVAILABLE COPY

Deposited *11-11-65*
Subject *11-11-65*
Name *11-11-65*
Address *11-11-65*
43-648
Computation Notebook
Dunlop & Son, Inc. Products Co., Framingham, MA 01701
75 Sheets
11" x 8 1/2"
4x4 Grid

Ruben EXHIBIT 2065
Ruben v. Wiley et al.
Interference No. 105,077
RX 2065

110


1 drilling:

6/12/75

A

REDACTED

1
B
C



B

5	7AS	-5.1	12
6	(HIPANOR)		(12)
7		-1	-1
8		-1.5	-2

check X gal day 3 pl
before sliding patch

REDACTED

C

A2 CK 80 #1 HABQES TC 6/16/75	A2 8th S-1 #1 HABQES TC 6/16/75	CP KCF N-1 HABQES TC 6/16/75
A3 Col 80 #1 HABQES TC 6/16/75	A1 TR 80 #1 HABQES TC 6/16/75	CP KCF N-1 HABQES TC 6/16/75
	CP TR 80 #1 HABQES TC 6/16/75	CP KCF N-1 HABQES TC 6/16/75
		CP KCF N-1 HABQES TC 6/16/75

- Also prepared amplified stock

REDACTED

Now
-1
-1

REDACTED

BEST AVAILABLE COPY

[illegible]

BEST AVAILABLE COPY

114

SUPERVISOR- Patricia Gelf
DATE- 6-21-95

6/23/95

Repeat labelling of new faculo constructs w/ day 5
amplified stock. Because X gal rxn was a bit
weak.

REDACTED

- label following standard protocol
- analysis of 13.75%

Conclusions:-

REDACTED

BEST AVAILABLE COPY